

SCHEDULE OF QUANTITIES

FOR

INTERIOR WORKS

FOR

VIP GUEST HOUSE

FOR

NATIONAL INSTITUTE OF TECHNOLOGY

AT

ROURKELA

O R I S S A

ARCHITECTS :

**M/S. BOSE BROTHERS ARCHITECTS
10-B 'MEGHDOOT',
12, ROWLAND ROAD,
KOLKATA – 700 020.**

JULY, 2007.

S U M M A R Y.

SL. NO.	DESCRIPTION.	PAGE NO.	AMOUNT. Rs. P.
A.	LOOSE FURNITURE	3 - 5	
B.	FIXED FURNITURE	6	
C.	FALSE CEILING	7	
D.	ADDITIONAL CIVIL WORK AND FLOORING	8	
E.	PAINTING	9	
F.	MISCELLANEOUS WORKS	10	
TOTAL :			

INTERIOR WORKS FOR VIP GUEST HOUSE NIT ROURKELA

A	LOOSE FURNITURE	QNTY.	UNIT	RATE RS.	AMOUNT Rs.
SL. NO.	PARTICULARS				
1	SINGLE BED				
	(a) Providing, carrying and positioning single bed (2000L x 930W x 375H). Structure made out of 80 x 60-mm 3 Nos. and 75 x80-mm 1No. seasoned teak wood frames and 75x75mm teak wood four corner legs (with polish of matching shade). 25 x 25-mm teak wood frame for fixing with side boards (as shown in the drawing) in addition with 30x60-mm teak wood section. 50x60-mm 2Nos.teak wood sections (across) to support the 12-mm BWR ply wood for supporting the mattress. Sides and top faces made out of 19mm BWP block board. All exposed edges finished with 1st class teak wood lipping. All exposed surfaces finished with recon Walnut Crown/ Makore Veneer (Century or equivalent) duly polished. Inner surfaces and other surfaces finished with french polish (matt finish) of matching shade. Grooves on the surface as shown in drawing made of 1st class teak wood finished with veneer/polish as instructed. All complete with all heavy duty necessary mattress of specified brand duly approved for typical room.(Drawing No.-NIT/RKL/VIPGH/INT-105).	42	nos		
	(b) Providing, carrying and positioning single bed(2000L x 930W x 375H)finished with Bibolo/IPE/Freijo Veneer (Century or equivalent) for three seater guest suite.Remaining specification same as 1(a).	4	nos		
	(c) Providing, carrying and positioning single bed(2000L x 930W x 375H)finished withRecon Dazzle Brown Veneer (Century or equivalent) for existing rooms. Remaining specification same as 1(a).	12	nos		
2	DOUBLE BED				
	Providing, carrying and positioning double bed(2000L x 1830W x 375H). Structure made out of 80 x 60-mm 3 Nos. and 75 x80-mm 1No. seasoned teak wood frames. 75x75mm teak wood four corner legs (with polish with matching shade). 25 x 25-mm teak wood frame for fixing with side boards (as shown in the drawing). 50x60-mm 3Nos.teak wood sections (across) to support the 12-mm BWR ply wood for supporting the mattress. Sides and top faces made out of 19mm BWP block board. All exposed edges finished with 1st class teak wood lipping. All exposed surfaces finished with 4-mm thick Bibolo/Freijo/IPE Veneer (Century or equivalent) duly polished. Inner surfaces and other surfaces finished with french polish (matt finish) of matching shade. Grooves on the surface as shown in drawing made of 1st class teak wood finished with veneer/polish as instructed. All complete with all heavy duty necessary mattress of specified brand duly approved for guest suite.(Drawing No. NIT/RKL/VIPGH/INT-111)	1	nos		
3	TV CABINET				
	(a) Providing, carrying and positioning TV cabinet (1250L x 600W x 745H) with 2 drawers and cabinet with 2 shutters with one shelf. Sides and top made out of 19mm BWP block board along with 25x50 mm teak wood internal frame work (as per drawing) for cabinet structure.Drawers made of 19-mm BWP Block Board for front and base, 12-mm BWP plywood for sides and back. All exposed edges finished with 1st class teak wood lipping. All exposed surfaces finished with 4-mm thick Walnut Crown/ Makore Veneer (Century or equivalent) duly polished. Inner surfaces and backside face finished with french polish of matching shade. Grooves on the surface as shown in drawing made of 1st class teak wood finished with veneer/polish as instructed. All complete with necessary hardware fittings,knobs, locking arrangements, concealed type hinges,magnetic stopper, drawer slides and handles (all heavy duty) duly approved.Table leg made of 75x75 mm 1st class teak wood (along with 50x50-mm teak wood frame) duly polished with matching shade of veneer for typical room.(Drawing No. NIT/RKL/VIPGH/INT-106)	21	nos		
	(b) Providing, carrying and positioning TV cabinet (1295L x 600W x 745H) finished with 4-mm thick Bibolo/IPE/Freijo Veneer (Century or equivalent) for guest suite (Drawing No. NIT/RKL/VIPGH/INT-106)Remaining specification same as 3(a).	1	nos		
	(c) Providing, carrying and positioning TV cabinet (1250L x 600W x 745H) finished with 4-mm thick Bibolo/IPE/Freijo Veneer (Century or equivalent) for three seater guest suite. (Drawing No. NIT/RKL/VIPGH/INT-106).Remaining specification same as 3(a).	2	nos		
4	BEDSIDE TABLE				
	(a) Providing, carrying and positioning bedside table (750L x 500W x375H). Structure made out of 50 x60-mm teak wood frames along with 50x75-mm teak wood corner legs. Sides (2 sides) and top faces made out of 19-mmBWP block board.The front facia will be of 20-mm thick teak wood. All exposed surfaces finished with 4-mm thick Recon Walnut Crown/Makore Veneer (Century or equivalent) duly polished (matt finish). Grooves on the surface as shown in the drawing made of 1st class teak wood finished with veneer/polish (matt finish) as instructed.Switch Board fixed to the front side as per instruction. All complete with necessary switch board fixing (of specified brand) duly approved for typical rooms.(Drawing No.NIT/RKL/VIPGH/INT-107)	21	nos		
	(b) Providing, carrying and positioning bedside table (450L x 450W x375H) finished with 4-mm thick Bibolo/Freijo/IPE Veneer (Century or equivalent) duly polished (matt finish) for guest suite and three seater guest suite.(Drawing No.NIT/RKL/VIPGH/INT-114). Remaining specification same as 4(a).	6	nos		
	(c) Providing, carrying and positioning bedside table (550L/600L x 500W x375H). finished with Bibolo/IPE/Freijo Veneer (Century or equivalent) for three seater guest suite(Drawing No. NIT/RKL/VIPGH/INT-117). Remaining specification same as 4(a).	2	nos		
	(d) Providing, carrying and positioning bedside table (550L/600L x 500W x375H) finished with Recon Dazzle Brown Veneer (Century or equivalent) duly polished (matt finish) for existing room (Drawing No. NIT/RKL/VIPGH/INT-121) Remaining specification same as 4(a).	6	nos		
	TOTAL CARRIED OVER :				

INTERIOR WORKS FOR VIP GUEST HOUSE NIT ROURKELA

SL. NO.	PARTICULARS	QNTY.	UNIT	RATE RS.	AMOUNT Rs.
			B/F :		
5	CORNER TABLE				
	(a) Providing, carrying and positioning centre table (650L x 450W x450H). Structure made out of 50 x 80-mm teak wood frames along with 50x50-mm teak wood corner legs. Top surface made up with 19-mm BWP Block Board and 8-mm glass at bottom as per drawing. All exposed surfaces finished with 4-mm thick Recon Walnut Crown/ Makore Veneer (Century or equivalent) duly polished (matt finish). Grooves on the frame as shown in the drawing finished with veneer/polish (matt finish) as instructed. All complete with 8-mm toughened glass with stanless steel clips(4 Nos.) and necessary buffers (all heavy duty) duly approved for typical room.(Drawing No.NIT/RKL/VIPGH/INT-107)	21	nos		
	(b) Providing, carrying and positioning corner table (600L x 600W x450H) finished with 4-mm thick Bibolo/Freijo/IPE Veneer (Century or equivalent) duly polished (matt finish) for guest suite. (Drawing No. NIT/RKL/VIPGH/INT-114) Remaining specification same as 5(a).	1	nos		
	(c) Providing, carrying and positioning corner table (550L x 550W x450H) finished with 4-mm thick Bibolo/Freijo/IPE Veneer (Century or equivalent) for three seater guest suite. (Drawing No. NIT/RKL/VIPGH/INT-114) Remaining specification same as 5(a).	2	nos		
	(d) Providing, carrying and positioning corner table (450L x550W x450H) finished with 4-mm thick Recon Dazzle Brown Veneer (Century or equivalent) duly polished (matt finish) for existing room.(Drawing No.NIT/RKL/VIPGH/INT-121). Remaining specification same as 5(a)	6	nos		
	(e) Providing, carrying and positioning corner table (600LL x600W x450H) finished with 4-mm thick Veneer (Century or equivalent) duly polished (matt finish) for Lounge and Reception area.(Drawing No.NIT/RKL/VIPGH/INT-121). Remaining specification same as 5(a)	8	nos		
	(f) Providing, carrying and positioning corner table (550LL x550W x450H) finished with 4-mm thick Veneer (Century or equivalent) duly polished (matt finish) for Ante Room of the Board room.(Drawing No.NIT/RKL/VIPGH/INT-121). Remaining specification same as 5(a)	2	nos		
6	CENTRE TABLE				
	(a) Providing, carrying and positioning elliptical centre table (1015L x 500W x 450H). Structure made out of 40x 60-mm teak wood corner legs along with 30 x 35-mm teak wood curved section. Top surface made up with 19-mm BWP block board. All exposed surfaces finished with Bibolo/IPE/Freijo Veneer (Century or equivalent) duly polished. Inner surfaces and other surfaces finished with french polish (matt finish) of matching shade. Grooves on the surface as shown in drawing made of 1st class teak wood finished with veneer/ polish as instructed. All complete with necessary buffers. Table for guest suite and three seater guest suite.	3	nos		
	(b) Providing, carrying and positioning centre table (750L x 450W x450H). Structure made out of 50 x 80-mm teak wood frames along with 50x50-mm teak wood corner legs. Top surface made up with 19-mm BWP Block Board and 8-mm glass at bottom as per drawing. All exposed surfaces finished with 4-mm thick Recon Dazzle Brown Veneer (Century or equivalent) duly polished (matt finish). Grooves on the surface as shown in the drawing made of 1st class teak wood finished with veneer/polish (matt finish) as instructed. All complete with 8-mm toughened glass with stainless steel clips (4 Nos.) and necessary buffers (all heavy duty) duly approved.(Drawing No. NIT/RKL/VIPGH/INT-121) Table for existing room.	6	nos		
	(c) Providing, carrying and positioning centre table (750L x 450W x450H) for Lounge and Reception area and Ante room of the Board Room. Structure made out of 50 x 80-mm teak wood frames along with 50x50-mm teak wood corner legs. Top surface made up with 19-mm BWP Block Board. All exposed surfaces finished with 4-mm thick Veneer (Century or equivalent) duly polished (matt finish). All exposed edges finished with teak wood lipping finished with polish (matt finish) as instructed.	3	nos		
	(d) Providing, carrying and positioning centre table (500L x 500W x450H) for Lounge and Reception area and Ante room of the Board Room. Structure made out of 50 x 80-mm teak wood frames along with 50x50-mm teak wood corner legs. Top surface made up with 19-mm BWP Block Board. All exposed surfaces finished with 4-mm thick Veneer (Century or equivalent) duly polished (matt finish). All exposed edges finishd with teak wood lipping finished with polish (matt finish) as instructed.	1	no		
	(e) Providing, carrying and positioning centre table (750L x 750W x450H) for Lounge. Structure made out of 50 x 80-mm teak wood frames along with 50x50-mm teak wood corner legs. Top surface made up with 19-mm BWP Block Board. All exposed surfaces finished with 4-mm thick Veneer (Century or equivalent) duly polished (matt finish). All exposed edges finishd with teak wood lipping finished with polish (matt finish) as instructed.	1	no		
	(f) Providing, carrying and positioning centre table (600Dia x450H) for Lounge. Structure made out of 19mm BWP block board as vertical support and the top surface will be of 19-mm BWP Block Board. All exposed surfaces finished with 4-mm thick Veneer (Century or equivalent)of approved shade duly polished (matt finish). All exposed edges finishd with teak wood lipping with polish (matt finish) of matching shade as instructed.	1	no		
7	COMPUTER TABLE WITH LUGGAGE RACK				
	(a) Providing, carrying and positioning Computer table with luggage rack (1200L x 600W x 745H) & (755Lx500Wx300H) with 1No. drawer and 1No. cabinet with 1no. shutter with one shelf . Sides and top made out of 19mm BWP block board along with 25x50 mm teak wood internal frame work (as per drawing) and 50x50-mm teak wood frame for cabinet structure. Drawer made of 19-mm BWP Block Board for front and base, 12-mm BWP plywood for sides and back. All exposed edges finished with 1st class teak wood lipping.The table placed on a base made of 50x50-mm corner legs polished (matt finish) with matching shade. Front side of luggage rack made out of 19-mm BWP Block Board along with 50x75 mm teak wood frame work in addition with 25 mm dia brushed stainless steel pipes as per drawing. All exposed surfaces finished with 4-mm thick Walnut Crown/ Makore Veneer (Century or equivalent) duly polished. Inner surfaces and backside face finished with french polish(matt finish) of matching shade. Grooves on the surface as shown in drawing made of 1st class teak wood finished with veneer/polish as instructed. All complete with necessary hardware fittings, locking arrangements, concealed type hinges, magnetic stopper, drawer slides and handles(all heavy duty) approved. (Drawing No. NIT/RKL/VIPGH/INT-108) for typical room of rear block.	21	nos		
	(b) Providing, carrying and positioning Computer table with luggage rack (1200L x 600W x 745H) & (755Lx500Wx300H) finished with 4-mm thick Bibolo/IPE/Freijo Veneer (Century or equivalent)(Drawing No. NIT/RKL/VIPGH/INT-108) for three seater guest suite.Remaining specification same as 7(a).	2	nos		
	TOTAL CARRIED OVER :				

INTERIOR WORKS FOR VIP GUEST HOUSE NIT ROURKELA

SL. NO.	PARTICULARS	QNTY.	UNIT	RATE RS.	AMOUNT Rs.
			B/F :		
8	Providing, carrying and positioning Computer table (1200L x 600W x 745H) with 1No. drawer and 1No. cabinet with 1no. shutter with one shelf. Sides and top made out of 19mm BWP block board along with 25x50 mm teak wood internal frame work (as per drawing) in addition with 50x50-mm teak wood frame. Drawer made of 19-mm BWP Block Board for front and base, 12-mm BWP plywood for sides and back. All exposed edges finished with 1st class teak wood lipping.The table placed on a base made of 50x50-mm corner legs polished (matt finish) with matching shade.All exposed surfaces finished with 4-mm thick Bibolo/Freijo/IPE Veneer (Century or equivalent) duly polished. Inner surfaces and backside face finished with french polish(matt finish) of matching shade. Grooves on the surface as shown in drawing made of 1st class teak wood finished with veneer/polish as instructed. All complete with all heavy duty necessary hardware fittings, concealed type hinges, magnetic stopper, buffers, drawer slides and handles(all heavy duty) approved.(Drawing No. NIT/RKL/VIPGH/INT-113) for guest suite.	1	nos		
9	Providing, carrying and positioning luggage rack (900Lx500wx300h).Sides made out of 19-mm BWP Block Board along with 50x75 mm teak wood frame and 50x50-mm teak wood corner legs in addition with 25 mm dia brushed stainless steel pipes as per drawing. All exposed surfaces finished with 4-mm thick Bibolo/Freijo/IPE Veneer (Century or equivalent) duly polished. Surfaces other than the exposed surfaces finished with french polish(matt finish) of matching shade. All complete with proper fitting of stainless steel pipes and buffers(heavy duty).(Drawing No. NIT/RKL/VIPGH/INT-113)	1	nos		
10	Providing, crrying and positioning Computer table with TV cabinet (2100L x 600W x 745H) consisting of 3 drawers and 2 cabinets with shutters, with one shelf in each cabinet. Sides and top made out of 19mm BWP block board along with 25x50 mm teak wood internal frame work (as per drawing). Drawers made of 19-mm BWP Block Board for front and base, 12-mm BWP plywood for sides and back.Table legs made of 50x50-mm 1st class teak wood duly polished with matching shade. All exposed edges finished with 1st class teak wood lipping. All exposed surfaces finished with Recon Dazzle Brown Veneer (Century or equivalent) duly polished. Inner surfaces and backside face finished with french polish of matching shade. Grooves on the surface as shown in drawing made of 1st class teak wood finished with veneer/polish as instructed. All complete with necessary hardware fittings, locking arrangements, cable manager, concealed type hinges, magnetic stopper, drawer slides, handles and buffers (all heavy duty) duly approved.(Drawing No. NIT/RKL/VIPGH/INT-119)	6	nos		
11	Providing, carrying and positioning bed cum divan (2000L x 930W x 355H). Structure made out of 80 x 60-mm 2 Nos. and 75x80-mm 1 No.seasoned teak wood frames and 75x75mm teak wood four corner legs(with polish with matching shade). 25 x 25-mm teak wood frame for fixing with side boards (as shown in the drawing) in addition with 30x60-mm teak wood section. 50x60-mm 2Nos.teak wood sections (across) to support the 12-mm BWR ply wood for supporting the mattress. Sides and top faces made out of 19mm BWP block board. All exposed edges finished with 1st class teak wood lipping. All exposed surfaces finished with 4-mm thick Bibolo/Freijo/IPE Veneer (Century or equivalent) duly polished. Inner surfaces and other surfaces finished with french polish (matt finish) of matching shade. Grooves on the surface as shown in drawing made of 1st class teak wood finished with veneer/polish as instructed. All complete with necessary mattress of specified brand duly approved.(Drawing No. NIT/RKL/VIPGH/INT-117)	2	nos		
12	TWO SEATER SOFA				
	(a) Providing, carrying, fitting and fixing in position upholstered two seater sofa (1300Lx700Wx750H) as per design and drawing made of hard wood for structure and teak wood for armrest with grooves finished with Walnut Crown/ Makore veneer (as per drawing) with 100-mm thick rubberised foam on seat and back with necessary material covered by upholstery with fabric (basic cost of fabric Rs 500/-pmt) as per specification approved by consultant/NIT, Rourkela.(Drawing No. NIT/RKL/VIPGH/INT-123) for typical room.	21	nos		
	(b) Providing,fitting and fixing in position upholstered with fabric (basic cost of fabric Rs 500/-pmt) two seater sofa (1300Lx700Wx750H) finished with Bibolo/IPE/Freijo veneer approved (Drawing No. NIT/RKL/VIPGH/INT-123) for guest suite and three seater guest suite. Remaining specification same as 12(a).	3	nos		
	(c) Providing,fitting and fixing in position upholstered with fabric (basic cost of fabric Rs 500/-pmt) two seater sofa (1300Lx700Wx750H) finished with Recon Dazzle Brown veneer approved (Drawing No. NIT/RKL/VIPGH/INT-123) for existing room. Remaining specification same as 12(a).	6	nos		
	(d) Providing, carrying, fitting and fixing in position upholstered two seater sofa (1300Lx700Wx750H) as per design and drawing made of hard wood for structure and teak wood for armrest (as per design) with 100-mm thick rubberised foam on seat and back with necessary material covered by upholstery of rexine with leather type finish (basic price of leather Rs 400/- pmt)as per specification approved by consultant/NIT, Rourkela.for Lounge and Reception area, Ante room of the Board Room.	3	nos		
13	SINGLE SEATER SOFA				
	(a) Providing,fitting and fixing in position upholstered single seater sofa (850Lx700Wx750H) as per design and drawing made of hard wood for structure and teak wood for armrest with grooves finished with Bibolo/IPE/Freijo veneer (as per drawing) with 100-mm thick rubberised foam on seat and back with necessary material covered by upholstery with fabric (basic cost of fabric Rs 500/-pmt) as per specification approved by consultant/NIT, Rourkela.(Drawing No. NIT/RKL/VIPGH/INT-124) for guest suite.	1	nos		
	(b) Providing,fitting and fixing in position upholstered with fabric (basic cost of fabric Rs 500/-pmt) single seater sofa (850Lx700Wx750H) finished with Recon Dazzle Brown veneer(Drawing No. NIT/RKL/VIPGH/INT-124) for existing room.Remaining specification same as 13(a).	6	nos		
	(c) Providing,fitting and fixing in position upholstered (covered by upholstery of rexine with leather type finish basic price of leather Rs. 400/- print as per specification approved by consultant/NIT, Rourkela) single seater sofa (850Lx700Wx750H) finished with approved veneer(Drawing No. NIT/RKL/VIPGH/INT-124) for Louge and Reception area , Ante Room of the Board room.	12	nos		
14	THREE SEATER SOFA				
	(a) Providing, carrying, fitting and fixing in position upholstered three seater sofa (1800Lx700Wx750H) as per design and drawing made of hard wood for structure and teak wood for armrest finished with veneer (as per specification) with 100-mm thick rubberised foam on seat and back with necessary material covered by upholstery of rexine with leather type finish as per specification (basic cost of leather Rs 400/-pm) approved by consultant/NIT, Rourkela for Lounge.	1	no		
15	Providing, carrying and positioning DiscussionTable (850L x 850W x 750H). Structure made out of 25 x 50-mm teak wood frames along with 50 x 50-mm teak wood corner legs.Top surface made up with 19-mm BWP block board. All exposed surfaces finished with Bibolo/IPE/Freijo Veneer (Century or equivalent) duly polished. Inner surfaces and other surfaces finished with french polish (matt finish) of matching shade. Grooves on the surface as shown in drawing made of 1st class teak wood finished with veneer/polish as instructed. All complete with necessary buffers.(Drawing No. NIT/RKL/VIPGH/INT-125)	3	nos		
	TOTAL CARRIED OVER :				

INTERIOR WORKS FOR VIP GUEST HOUSE NIT ROURKELA

SL. NO.	PARTICULARS	QNTY.	UNIT	RATE RS.	AMOUNT Rs.
			B/F :		
16	HEADBOARD				
	(a) Providing, carrying and positioning built in headboard (Room Length x 200W x 870H) and removable back rest cushion (435Height x210 total depth). Structure made out of 19-mm BWP block board boxes(as shown in the drawing) and 30x72-mm hard wood section at the two corners . Side and top faces made out of 9-mmBWR ply wood pasted on 12mm BWR ply wood to form grooves as per drawing. All exposed surfaces finished with 4-mm thick Recon Walnut Crown/Makore Veneer (Century or equivalent) duly polished (matt finish).Provision of cable outlet are kept wherever required.Cushion frame made up with 12-mm BWR ply and 6-mm BWR ply at the top fixed up with 20x25-mm teak wood section All complete with necessary cushion framing as per drawing and heavy duty ms channel to fix the cushion frame to the headboard,mattress of speciffied brand (all heavy duty) duly approved.(Drawing No. NIT/RKL/VIPGH/INT-110) for typical guest room of rear block.	18.00	sqm.		
	(b) Providing, carrying and positioning built in headboard (Room Length x 200W x 870H) finished with4-mm thick Bibolo/IPE/Freijo Veneer (Century or equivalent).(Drawing No. NIT/RKL/VIPGH/INT-116)& (NIT/RKL/VIPGH/INT-118) for guest suite and typical guest suite.Remaining specification same as 15(a).	29.00	sqm.		
	(c) Providing, carrying and positioning built in headboard (Room Length x 200W x 870H) finished with4-mm thick Recon Dazzle Brown Veneer (Century or equivalent).(Drawing No. NIT/RKL/VIPGH/INT-122) for existing room.Remaining specification same as 15(a).	64.00	sqm.		
17	BACKREST CUSHION				
	(a) Providing, carrying and positioning removable back rest cushion (460Height x210 total depth). Structure made out of 19-mm BWP block board boxes(as shown in the drawing) and 30x72-mm hard wood section at the two corners. Side and top faces made out of 9-mmBWR ply wood pasted on 12mm BWR ply wood to form grooves as per drawing. All exposed surfaces finished with4-mm thick Walnut Crown/Makore Veneer (Century or equivalent) duly polished (matt finish).Provision of cable outlet are kept wherever required.Cushion frame made up with 12-mm BWR ply and 6-mm BWR ply at the top fixed up with 20x25-mm teak wood section. All complete with necessary cushion framing as per drawing and heavy duty ms channel to flx the cushion frame to the headboard,mattress of speciffied brand (all heavy duty) duly approved.	25	sqm.		
	(b) Providing, carrying and positioning removable back rest cushion (2000Lx460Height x210 total depth) for guest suite.	1	sqm.		
18	HIGH LEVEL WALL PANELLINGFOR FIXING MOSQUITO NET				
	(a) Providing, carrying and positioning 300-mm high level wall panelling for fixing mosquito net (as per drawing) made out of 9-mm thick BWR ply pasted on 20X75-mm teak wood sections . All exposed surfaces finished with 4-mm thick Walnut Crown/Makore Veneer (Century or equivalent) duly polished (matt finish).Decorative bracket light at the height shown in the drawing placed and stainless steel hook to fix net as per drawing. All complete with all heavy duty necessary light fixing (of specified brand) and hook duly approved.(Drawing No. NIT/RKL/VIPGH/INT-110) for typical room of rear block.	52	sqm.		
	(b) Providing, carrying and positioning 300-mm high level wall panelling finished with 4-mm thick Bibolo/IPE/Freijo Veneer (Century or equivalent) (Drawing o.NIT/RKL/VIPGH/INT-116) & (NIT/RKL/VIPGH/INT-118) for guest suite and typical guest suite. Remaining specification same as 17(a).	11	sqm.		
	(c) Providing carrying and positioning 300-mm high level wall panelling finished with 4-mm thick Recon Dazzle Brown Veneer (Century or equivalent) (Drawing No.NIT/RKL/VIPGH/INT-122) for existing room.Remaining specification same as 17(a).	7	sqm.		
19	Providing and positioning Rectangular dining table (1350L x 750W x 750H). Structure made out of 25x 50-mm teak wood frames along with 50 x 60-mm teak wood corner legs.Top surface made up with 19-mm BWP block board topped with TREDZ 29536 laminet (Century or equivalent). Inner surfaces and other surfaces finished with french polish (matt finish) of matching shade. Grooves on the surface as shown in drawing made of 1st class teak wood finished with paint (duco/spray) of matching shade of the laminet as per instruction. All complete with necessary buffers.(Drawing No. NIT/RKL/VIPGH/INT-137)	5	nos		
20	Providing and positioning square dining table (1150L x 1150W x 750H). Structure made out of 25 x 50-mm teak wood frames along with 60 x 60-mm teak wood corner legs.Top surface made up with 19-mm BWP block board. The top[surfaces finished with CenturyTREDZ 29536 laminet. Inner surfaces and other surfaces finished with french polish (matt finish) of matching shade. Grooves on the surface as shown in drawing made of 1st class teak wood finished with matching shade as instruction. All complete with necessary buffers.(Drawing No. NIT/RKL/VIPGH/INT-138)	7	nos		
21	Providing, carrying and positioning Service counter (2000L x 600W x 900H) consisting of 2 drawers and 2 cabinets with shutters, with one shelf in each cabinet. Sides and top made out of 19mm BWP block board along with 25 x 50 mm teak wood internal frame work (as per drawing). Drawers made of 19-mm BWP Block Board for front and base, 12-mm BWP plywood for sides and back. All exposed edges finished with 1st class teak wood lipping. All exposed surfaces finished with Century TREDZ 29536 1-mm laminet. Inner surfaces and backside face finished with french polish of matching shade. Grooves on the surface as shown in drawing made of 1st class teak wood finished with polish as instructed. All complete with necessary hardware fittings, locking arrangements, concealed type hinges, magnetic stopper, drawer slides and handles(all heavy duty) duly approved.(Drawing No. NIT/RKL/VIPGH/INT-138)	1	nos		
22	Providing and positioning Wall Paneling (Room Length x 270W x existing sill height-1200) lighting niche (150Lx150Wx150depth and additional 100 -mm for light fixing). Structure made out of 19-mm BWP block board boxes(as shown in the drawing). Side made out of 9-mmBWR ply wood pasted on 12mm BWR ply wood to form grooves as per drawing and top surface of 12-mm BWR ply along with 20 x 20-mm teak wood section. The exposed surfaces finished with duco/ equivalent spray paint (matt finish) with matching shade of the wall painting on duly polished surface as instructed.The lighting niche with low intensity candle light finished with Bronze Circles1061Ci metal laminet(Century or equivalent). Provision of cable outlet are kept wherever required. All complete with necessary light fixing as per drawing.	17	sqm		
23	Providing , carrying and positioning Reception table 19mm BWP block board as worktop topped with veneer (DYED KOTO-LT GREY OF CENTURY PLY or equivalent) finished with PU polish at 750 level supported by 25mm thick BWP block board as leg panel ,19mm BWP block board on wall and 25 & 19mm thick BWP block board pasted with 3mm BWR flexi ply on out side to form a curved surface along with teak wood sections as per design topped with veneer (DYED SAP GUM-BLACK OF CENTURY PLY or equivalent),PU polish .Storage made of 1 drawer & 1cabinet .Drawer made of 19-mm BWP Block Board for front and base, 12-mm BWP plywood for sides and back along with 50/25x25 teak wood section, veneer (DYED KOTO-LT GREY OF CENTURY PLY or equivalent) at front face of drawer & cabinet shutter . Suspended facia made of 12mm BWR ply in curved form topped 1.0mm laminate (METALLINO EXOTIC or equivalent) fixed by stainless steel stud. All cutedges of block board lipped with designed 1st class teak wood lipping with matching PU polsh. All inside surfaces finished with french polish. Keeping provision for electrical fixtures .All complete with necessary hardware fittings, locking arrangements, concealed type hinges, magnetic stopper, drawer slides and handles(all heavy duty) duly approved.(Drawing No. NIT/RKL/VIPGH/INT-142)	1	no.		
24	Providing and positioning Board room table other vertical support of 19-mm block board with 3-mm BWR flexy ply pasted together to from a curved surface in addition with 30 x 30-mm teak wood section as per drawing. The top surface will be of 19-mm BWP block board with 4-mm thick BIBOLO veneer (Century/equivalent) with PU polish. The external surfaces of the leg panels and the curved surfaces (duco/equivalent) finished with duco/equivalent spray paint (matt finish) and veneer with matching shade of the wall painting. 70 x 42-mm teak wood decorative moulding at edges with matching PU polish. All complete with necessary cable manager, buffers inclusive of electrical conduit channel. (Drawing No. NIT/RKL/VIPGH/INT-144)	1	no.		
TOTAL CARRIED OVER :					

INTERIOR WORKS FOR VIP GUEST HOUSE NIT ROURKELA

SL. NO.	PARTICULARS	QNTY.	UNIT	RATE RS.	AMOUNT Rs.
			B/F :		
25	Providing, carrying and positioning Board Room cabinet (2000L x 450W x 750H) with 4 drawers and cabinet with 4 shutters with one shelf. Sides and top made out of 19-mm BWP block board along with 25 x 30-mm teak wood internal frame work (as per drawing) for cabinet structure. Drawers made of 19-mm BWP Block Board for front and base, 12-mm BWP plywood for sides and back. All exposed edges finished with 1st class teak wood lipping. All exposed surfaces finished with 4-mm thick BIBOLO Veneer (Century or equivalent) duly polished. Inner surfaces and backside face finished with french polish of matching shade. Grooves on the surface as shown in drawing made of 1st class teak wood finished with polish as instructed. All complete with necessary hardware fittings,knobs, locking arrangements, concealed type hinges, magnetic stopper, drawer slides and handles (all heavy duty) duly approved.(Drawing No. NIT/RKL/VIPGH/INT-145)	1	no.		
26	Providing, carrying and positioning Seminar Hall Table (750 + 750L x 500W x 750H). Structure made out 19-mm BWP block board in addition with 20 x 20-mm teak wood section used as support. The top surface will be of 19-mm BWP block board with veneer finish. All exposed surfaces finished with 4-mm thick(Century/equivalent) veneer duly polished. Inner surfaces and other surfaces finished with french polish(matt finish) of matching shade. All exposed edges finished with teak wood lipping. All complete with necessary hardware fittings, cable manager, buffer, etc. (Drawing No. NIT/RKL/VIPGH/INT-147)	100	nos		
27	Providing, carrying and positioning Lecture Table (2090LX900WX750H) with side cabinet (1500L x 500W x 680H) with 3 drawers and 3 cabinets. Sides and top made out of 19-mm BWP block board along with 20 x 00 mm ad 20 x 40-mm teak wood internal frame work (as per drawing). Drawers made of 19-mm BWP Block Board for front and base, 12-mm BWP plywood for sides and back. All exposed edges of block board finished with 1st class teak wood lipping. All exposed surfaces finished with 4-mm thick Walnut Crown/ Makore Veneer (Century or equivalent) duly polished. Inner surfaces and backside face finished with french polish of matching shade. All complete with necessary hardware fittings,knobs, concealed type hinges, drawer slides and handles, buffers (all heavy duty) duly approved. (Drawing No. NIT/RKL/VIPGH/INT-148)	1	no		
28	Providing, carrying and positioning Sliding Folding Shutter of louvered and solid panels(500Lx40mmWx2150H each) including approved sliding and folding devices/accessories etc for smooth running including M.S. top runner of required section embeded in floor with all fittings and fixtures complete as per direction of the Engineer-in-charge with matching polishing,etc.	4	sqm.		
29	CHAIR				
	(a) Providing, carrying and positioning upholstered wooden chair covered with fabric(basic cost of fabric Rs 500/-pmt)	50	nos		
	(b) Providing, carrying and positioning upholstered wooden chair covered with rexine with leather type finish (basic cost of rexine Rs 400/-pmt)	50	nos		
30	Providing, carrying and positioning TV stand (1200LX450WX750H) for lounge.	1	nos		
TOTAL CARRIED :					

INTERIOR WORKS FOR VIP GUEST HOUSE NIT ROURKELA

SL. NO.	PARTICULARS	QNTY.	UNIT	RATE RS.	AMOUNT Rs.
C	FALSE CEILING				
	(a) Providing , fitting and fixing 12-mm thick single layer gypsum board false ceiling as per manufacturers (INDIA GYPSUM LIMITED)/or equivalent specification over aluminium frame work in different levels.The framework shall consists of required sections, aluminium channel, angles, tees etc to make suitable sizes grid as directed by the Engieer-in-charge including strap, hanger, soffit cleat, nuts and bolts, Joints Taped as necessary all as per drawing and as per direction.	90.00	sqm.		
	(b) Providing , fitting and fixing 12-mm thick decorative false ceiling made of 12mm P.O.P. on G.I. frame with P.O.P. edge moulding/curves and depression complete as per drawing and direction.				
	(1) in 2 dimensional form	20.00	sqm.		
	(2) in 3 dimensional form(60mm to 200mm thick)	20.00	sqm.		
TOTAL CARRIED :					

INTERIOR WORKS FOR VIP GUEST HOUSE NIT ROURKELA

SL. NO.	PARTICULARS	QNTY.	UNIT	RATE RS.	AMOUNT Rs.
D	ADDITIONAL CIVIL WORK AND FLOORING				
	(a) Careful dismantling of all types of existing masonry work as shown in drawing and stackig serviceable materials at site and removing rubbish as diected within a lead of 75m.	0.5	cum.		
	(b) Dismantling existing flooring by carefully chiselling without damaging the base including removing rubbish as directed within a lead of 75m.	0.2	sqm.		
	(c) Providing and building 230mm or more thickness brickwork in superstructure with 1st class bricks (class designation) with cement mortar 1: 6 (1cement : 6 coarse sand) as directed.	1	cum.		
	(d) Providing and building 115mm thick brickwork in superstructure with 1st class bricks (class designation) with cement mortar 1: 4 (1cement : 4 coarse sand) as directed including providing H. B. wire netting in every 3rd layer.	5	sqm.		
	(e) Providing and laying nominal mix M-15 cement concrete with graded stone chips (20mm size) in beams, slab, lintel etc. as shown in drawing including necessary shuttering and centering and Tor steel reinforcements.(The reinforcements required in beams & slab shall be as per deawing.	0.5	cum.		
	(f) Providing and laying approved marble flooring, skirting etc.Thickness, Texture, Colour etc as per existing one set in cement moetar (2:1) including leveling coarse with same mortar as required including grinding and polishing as per direction of Engineer-in-charge.	0.2	sqm.		
	(g) Providing and laying 12m thick plaster with sand and cement mortar 1:4 in exposed faces of beam, slab, lintels etc. and in brick wall surfaces including raking out joints or roughening of concrete surfaces by chipping including rounding, throating. nosing where necessary.	13	sqm.		
	(h) Providing and laying plaser of Paris (thickness not less than 1.5mm)over plastered surface and on Gypsum board false ceiling.	103	sqm.		
	(i) Mending good damages of structure during work by concreting / plastering as directed and as necessary	1	Item		
TOTAL CARRIED :					

INTERIOR WORKS FOR VIP GUEST HOUSE NIT ROURKELA

SL. NO.	PARTICULARS	QNTY.	UNIT	RATE RS.	AMOUNT Rs.
E	PAINTING				
	(a) Providing and applying two coats Plastic emulsion Paint of approved make and brand on false ceiling etc. matching with the existing adjacent surface including providing and applying one coat cement primer as per direction of the Engineer-in -charge.	90	sqm.		
	(b) Providing and applying one coat Plastic emulsion Paint of approved make, brand on existing wall and ceiling surface matching with the existing adjacent surface as per direction of the Engineer-in -charge.(Note : This item is required to overcome stains on wall, ceiling surfaces during fixing of furnitures/Electrical works etc.)	4200	sqm.		
	(c) Providing and applying two coats Plastic emulsion Paint of approved make & brand on back wall of beds of Satin/Velvet Touch finish as directed by the engineer -in-charge.	260	sqm.		
	(d) Providing and applying two coats Plastic emulsion Paint of approved brand and manufacture of approved shed in Board room wall, reception, Dining room.	435	sqm.		
TOTAL CARRIED :					

INTERIOR WORKS FOR VIP GUEST HOUSE NIT ROURKELA

SL. NO.	PARTICULARS	QNTY.	UNIT	RATE RS.	AMOUNT Rs.
F MISCELLANEOUS WORKS					
1	Providing, fitting and fixing vertical blinds for Board Room and Seminar Hall with imported fabric complete. Type and shades to be approved by NIT/Consultant.	20	sqm.		
2	Providing, fitting and fixing cloth/ chickh rolling blinds complete with running & pulling mechanisms with imported fabric complete.Type and shades to be approved by NIT/Consultant.(Dining Hall)	18	sqm.		
3	Providing, fitting and fixing rolling fly net/s screens complete with rolling & pulling mechanisms.	18	sqm.		
4	Providing, stitching, fitting and fixing heavy duty curtain rods and curtains including net curtains and cloth curtains complete with hooking system made of brass hooks and loops. Cloth not less than Rs 1200/pm and net not less than Rs 400/pm complete.	252	sqm.		
5					
	(a) circular in shape with laminet finish	30.00	nos		
	(b) circular in shape with veneer finish	16.00	nos		
	(c) planter box(1.8Lx0.3Wx0.7H)x2 in lounge with veneer finish	2	nos		
6	Supplying, fitting and fixing 3.5-mm thick wood veneer over ply or wood.	5	sqm.		
7	Supplying, fitting and fixing 1.0mm laminet over ply/wood	5	sqm.		
8	Supplying, fitting and fixing 1.2mm thick metal laminet or equivalent laminet over plywood/metal.	3	sqm.		
9	Supplying, fitting and fixing Sinage and notice board as per drawing and direction.				
	(a) Painted sign and Notice Board	1 Item			
	(b) Illuminating signage	1 Item			
	(c) Glow Sign	1 Item			
10	Supplying, fitting and fixing 100x12mm T.W. skirting with laminet finish complete as per drawing and direction.	5	sqm.		
	(a) With laminate finish				
	(b) With veneer finish				
11	Supplying, fitting and fixing white Board with necessary fabric, soft board panelling,etc.	10	sqm.		
12	ACOUSTIC WORK IN SEMINAR HALL				
A	Providing and fixing suspended false ceiling of 2 layers 9.5mm tapered edge Gyp Board or equivalent conforming to IS- 2095 of latest edition including providing and fixing G.I. Perimeter channel of size 0.55mm thick (having one flang of 20mm and another flage of 30mm and web of 27mm)along with perimeter ceiling along with rubber strap 3mm thick fixed to brick wall with help of nylon sleeves and screws etc The suspended G.I.intermediate channels of size 40mm, 0.9mm thick with two flanges of 15mm each, from the soffit at 1220mm c/c with ceiling angle etc, first layer of 9.5mm thick board are to be fixed to ceiling section with 25mm dry wall screw and second layer of board with 35mm dry walls screw Joints are to be staggered to avoid leakage. Finally the boards are to be jointed and finished so as to have a flash look using jointing compound, paper tape , etc. Glass wool of 50mm thick and density 380Kg/m3 are to be provided on the back of slit pannels and light fitting areas to be open/cut and finished withh perimeter channel and providing placing approved grills include for providing and applying two coats of approved acrylic emulsion paint over a coat of primer. All other necessary works to be done as per recommended practice and d	55	sqm.		
B	Providing and fixing metal framing wall lining which includes two layers of tapered edge 12.5-mm thick Fire Line Gyp board or equivalent conforming to IS 2095 of latest edition with screw fixed with dry wall screw of 25-mm for first layer & 35-mm for second layer @ 30-mm centre to 70-mm stud placed at 610-mm centres with joint staggered to avoid leakage through joint. finally the face layer boards are to be jointed and finished so as to have a flush look including filling and finishing with jointed compound, paper tape & and providing and applying two coats of acrylic emulsion paint over a coat of primer.Glasswool of thickness 50mm &the density 380 Kg/cum to be provided and placed on the back of slit panels by inserting inside jute bags and properly sealed.Slit panels of size 595x595 mm to be fixed on metal stud by fixing additional supporting channel and all other necessary works as per recommended practice and as directed by the Engineer-in-charge all complete.	95	sqm.		
TOTAL CARRIED :					

INTERIOR WORKS FOR VIP GUEST HOUSE NIT ROURKELA

SL. NO.	PARTICULARS	QNTY.	UNIT	RATE RS.	AMOUNT Rs.
1.	FALSE CEILING :				
	INDIA GYPSUM /EQUIVALENT				
2.	WOOD FRAME WORK : PRESERVATIVES AND FOR TERMITE RESISTANCE.				
	ALL SECTIONS DULY (SEASONED) WITH 2 COATS OF WOOD				
3.	VEENEER :				
	CENTURY/GREEN				
4.	LAMINATE :				
	CENTURY/GREENLAM/ARCHID METALLION EXOTIC.				
5.	PLY/ BLOCK BOARD :				
	GREEN/CENTURY (I. S 303)				
6.	WOOD PRESERVATION :				
	STP-PENTAPHENE PALE.				
7.	ADHESIVE :				
	FEVICOL/VAMICOL.				
8.	DRAWER LOCK :				
	GODREJ/DORMA/EQUIVALENT.				
9.	HARDWARE :				
	DORMA/EQUIVALENT				
10.	GLASS : MODIFLOAT.				
11.	BRUSHED S. S. PIPE :				
	BRUSHED FINISHED - I. S. 316 - 10 S. W. G.				
12.	BLINDS :				
	VISTA/EQUIVALENT.				
13.	MATTRESS :				
	KURLON/EQUIVALENT				
14.	REXINE :				
	BHOR/EQUIVALENT				
15.	LEATHER :				
	BHOR/EQUIVALENT				
16.	MAGNETIC WHITE BOARD :				
	ALTOP				
17.	SOFT BOARD :				
	JOLLY INSULATION/EQUIVALENT.				
18.	WOOD SKIRTING-MOULDING-LIPPING-BEADING :				
	IST CLASS C. P. TEAK (SEASONED).				
19.	PU FINISH :				
	ASIAN PAINTS/EQUIVALENT				
20.	CURTAIN FABRIC :				
	GOVT. STATE EMPORIUM / BOMBAY DYEING/RELIANCE/EQUIVALENT				
21.	SLIDING FOLDING DOOR HARDWARE :				
	DORMA/ EQUIVALENT				
22.	UPHOLSTRY FABRIC :				
	GOVT. STATE EMPORIUM / BOMBAY DYEING/RELIANCE/EQUIVALENT				
23.	CURTAIN RODS AND MECHANISM : VISTA /EQUIVALENT				

ALL QUOTATIONS ARE TO BE SUBMITTED. ARCHITECTURAL DRAWINGS ARE AVAILABLE ALONG WITH THE ABOVE SCHEDULE OF QUANTITIES WHICH MAY BE USED FOR PREPARATION OF ABOVE SCHEDULE. ALL DOCUMENTS ARE TO BE SUBMITTED IN **TRIPLICATE**. ALL AMOUNTS/VALUES MUST BE ALPHABETICALLY SPELT OUT WHEREVER MENTIONED BY THE COMPANY.