## BILL OF QUANTITIES FOR FURNITURE OF LECTURE GALLERY & BOARD ROOM, NIT, ROURKELA UNIT OTY SI NO ITEM DESCRIPTION **RATE IN FIGURES RATE IN WORDS AMOUNT** Supplying & Fixing in position Table of 1'4" wide x 2'6" height & length as per site condition with 25mm thick MDF board having full round postforming with 0.8mm flex laminated-exterior grade. The table comprises of legs 4 no 25mm dia round stainless steel pipe grade AISI 304 (18/8) rust free non magnetic grade satin matt finish, the post forming rests on 25mm x 25mm SS square pipe frame as per the drawing fixed on the top of the SS pipe., fabrication charge, screws, PVC beading to the cutting edge of post foming. Cost includes all material, labour, fabrication charges, lead,tools plant, painting complete in all respects. The front face of table should have closed with post forming board of 1'6" wide & full length. 110 Mtr

Sl NO	ITEM DESCRIPTION	UNIT	QTY	RATE IN FIGURES	RATE IN WORDS	AMOUNT
2	Supplying and Fixing table of size (4'0" x 2'0" x 2'6" height). The top of table should be 25mm thick MDF board having full round postforming with 0.8mm flex laminated-exterior grade. The table supports on four wooden legs of round type (2.5" x 2.5"). The front surface should have 12mm BWR grade ply with 1mm thick lamination & inside surface painted with 2coats of synthetic enamel paint over 1 coat of primer, The cutting edges of table should have teak wood moulding with polishing.					
3	Supplying & Fixing Dias 2'6" wide . The top surface of the dias should have in ward slope towards speaker as per drawing. The front and two side face of dias will be projected 6" from the top of the dias. The dias top should be 25mm thick post forming MDF flex and 19mm BWR grade block board with 1mm thick lamination to all surface, edge beading with teak wood polished as per detailed working drawing.		5			

Sl NO	ITEM DESCRIPTION	UNIT	QTY	RATE IN FIGURES	RATE IN WORDS	AMOUNT
4	Supplying & Fixing stainless steel logo in					
	satin matt finish & lettering of NIT-					
	Rourkela as per detailed drawing in the					
	centre of front surface of dias.	Set	1			
5	Supplying and Fixing of work station of					
	size ( 1300 x 1650mm ), front side					
	wideth 750mm & other side 400mm . The					
	table consists of 2no storage unit which					
	have 3no drawer over 3" skirting. The					
	table should provision for key board trey,					
	wire manager, stainless steel handles,					
	drawers & key board should have					
	telescopic drawer sliders, block boards					
	edges with teak wood edge beadings &					
	polishing the beadings. The table made of					
	25mm thick MDF board having full					
	round postforming with 0.8mm flex					
	laminated-exterior grade complete as per					
	the detailed working drawing.					
		Each	4			

Sl NO	ITEM DESCRIPTION	UNIT	QTY	RATE IN FIGURES	RATE IN WORDS	AMOUNT
6	Supplying and Fixing of professor's work					
	station of size (1800 x 1875mm), front					
	side wideth 825mm & other side 400mm.					
	The table consists of 1no storage unit					
	which have 3no drawer over 3" skirting.					
	The table should provision for key board					
	trey, wire manager, stainless steel handles,					
	drawers & key board should have					
	telescopic drawer sliders, block boards					
	edges with teak wood edge beadings &					
	polishing the beadings. The table made of					
	25mm thick MDF board having full					
	round postforming with 0.8mm flex					
	laminated-exterior grade complete as per					
	the detailed working drawing.					
		Each	1			

Sl NO	ITEM DESCRIPTION	UNIT	QTY	RATE IN FIGURES	RATE IN WORDS	AMOUNT
7	Providing & fixing storage unit of					
	750mm height & 400mm width made of					
	25mm thick MDF board having full					
	round postforming with 0.8mm flex					
	laminated-exterior grade with PVC edge					
	beading cost includes stainless steel					
	handles, hinges etc. complete in all					
	respects as per detail working drawing. [					
	Only front area of credenza shall be					
	measured for Payment.					
		Cam	9			
0	D	Sqm	9			
8	Providing & fixing long continuous table					
	of 600 mm width with provision key					
	board, storage unit (1 no) which have 3					
	no drawer over 3" skirting by using					
	25mm thick MDF board having full					
	round postforming with 0.8mm flex					
	laminated-exterior grade of approved					
	shade & brand including cost of all					
	material, labour, tax,lead, T&P, hardware					
	complete in all respect as per detail					
	working drawing & direction of Architect					
	in Charge. ( Payment will be done as per					
	measurement of length of table only.)					
		Mtr	3			

SI NO	ITEM DESCRIPTION	UNIT	QTY	RATE IN FIGURES	RATE IN WORDS	AMOUNT
9	Providing and fixing low height partition					
	by using well seasoned 2ndry hard wood					
	(Sal/ Kasi/ Giringa/Kapoor) cross section (					
	50mm x 40mm ) .The placement of					
	wooden members horizontally one at					
	floor level ,second at 2'6" level with					
	respect to floor level and vertically at a					
	distance not greater than 600mm center					
	to center & then fixing 6 mm BWR grade					
	confirming to IS-303 & fixing laminate					
	of approved make & shade on both sides					
	of partition and exposed edge of partition					
	with teak wood moulding with melamine					
	polish, then fixing 10mm glass (machine					
	edge moulded) of appropriate size with the					
	help beading with polishing of the both					
	sides cost includes all material, soft wood					
	with fabric, labour, tax, lead, T&P etc.					
	complete in all respect as per detail					
	working drawing . (payment will be made					
	as per measurement of one side only)					
		Sqm	7			

SI NO	ITEM DESCRIPTION	UNIT	QTY	RATE IN FIGURES	RATE IN WORDS	AMOUNT
10	Supplying & Fixing in position discussion table (8 seater) elliptical in shape 7'0" long and 2'6" height with 25mm thick MDF board having full round postforming with 0.8mm flex laminated-exterior grade. The table comprises of vertical supports as per detailed drawings complete in all respects.					
	1	Each	1			
11	Supplying & Fixing conference table (Ushape) 2'0" wide and 2'6" height as per the detailed drawing & design made of 35mm thick MDF board having full round postforming with 0.8mm flex laminated-exterior grade, necessary vertical supports, approved shade & pattern flex. Necessary arrangements to carry Data point & power point below the table.		15			
	TOTAL					
	IN WORDS:-					